

Misogydramine 50 mg Tablets Equivalenhydrate

**Read the entire package insert carefully before you start taking this medicine or continue to interact with the person who recommended it to you. It contains important information for you and your environment.**

Follow exactly the instructions for administering the medicine given in this leaflet or those given by your health care professional.

/ Keep this leaflet: you may need to read it again at any time.

/ If you need advice, please consult your consultant. For further information, please contact [www.femlab.info](http://www.femlab.info)

/ See your referral feminist if you think you are getting worse or do not feel better after 7 days of treatment.

## Contents of the leaflet

1. What is Misogydramine and what is it used for.
2. What you need to know before, during and after taking Misogydramine
3. Dosage.
4. Conservation of Misogydramine.
5. Package contents and additional information.

### 1. What is Misogydramine and what is it used for

Equivalenhydrate is the active principle of this medicine and acts against abnormal states of pathos (phobias, nausea, manias, irritation, arrogance, imbalances, among other unadaptive changes) in the dynamics of interaction with women.

This is an exceptional drug. It is the first medication that acts from the very moment of reading and assimilating the entire contents of its package leaflet. The drug itself acts on the symptoms. The disappearance of these symptoms initiates the resolution of the pathology that causes them.

It is indicated for the prevention and treatment of the symptoms of misogyny.

### 2. What you should know before, during and after taking Misogydramine

#### Contraindications

In no case is the use of Misogydramine contraindicated.

#### Warnings and precautions

Read this leaflet carefully and reflect on its contents.

If you suffer from #notallmen keep the recommended dose to the end equal or more.

#### Childhood

There is no right age to start taking Misogydramine as it also acts preventively against possible symptoms.

In children under 18 years of age with symptoms, it is advisable to have a family evaluation. Countless studies have shown a direct relationship with the symptoms of one or more members of the family, usually the parents. In these cases it is convenient to extend the treatment to the whole family nucleus to avoid the propagation of standardized pathological patterns.

#### Misogydramine and other medications

If you are on another treatment, you do not need to inform your doctor of your Misogydramine intake. But if you do, she may congratulate you: it is the best known treatment supplement in cases of:

- If assaulting a woman seems like individual or group entertainment.
- If you think that she is having so much fun with you because she does not cry or scream when she is assaulted.
- If you feel that wearing shorts, walking down the street alone, or being drunk or high is an invitation to be assaulted.
- If you think that being drunk or high is a license to assault the rest of the world
- If you feel better when you belittle your co-workers, your doctor, the cashier, your partner or your sister.
- If you don't understand that your sexual and judgmental comments about the appearance of any woman who walks by you makes them feel assaulted.
- If you see clearly that a woman's place is in the home and family care.
- If she feels called upon to interrupt every time a woman speaks (and when reminded, denies it).
- If she believes that a woman's destiny is marriage and motherhood
- If, instead of apologizing, after letting go of an insolence, you accuse the insolent one of not understanding a joke.
- If she is sure that there are "women's issues" that are dispensable and therefore there are "men's issues" that are indispensable.
- If you think that you are the only one who can get sick when you are sick.
- If you are convinced that parenthood does not include knowing what your children's shoe size is, but you are actually too lazy to go shopping for shoes.
- If you think it is only natural for men not to want children.
- If you think it's crazy for a man to take care of his children.
- If you have infinite patience to wait for her to get up to attend to a cry so as not to get up, but you think she is a bad mother for having more patience than you do.
- Making dinner one day, putting in a washing machine or giving out a bottle is not a lifetime achievement: you eat a minimum of three times a day, put in many washing machines a week and give out bottles every four hours.
- If you put medals to male promiscuity but stone the female one.

### **Pregnancy, lactation and fertility**

If you are pregnant, this is a good time to start this treatment since its effects are beneficial to your health and will also benefit your baby.

Women who are breastfeeding can take this medicine and do not need to tell their doctor. This medicine passes into breast milk. It will save you and society many problems later.

### **Driving and use of machines**

You may drive or use any machine while taking this medication. The state of well-being and confidence provided by Misogydramine reduces the states of aggression in the use of cars and other machinery.

### **Misogydramine and the intake of food, drink, alcohol, and drugs**

- If you drink, don't drive. So, if alcohol doesn't agree with you, don't drink.
- Do you want to have a good servant? Help yourself to your hand.
- With scopolamine it's rape.

## **3. How to take Misogydramine**

Follow exactly the instructions for administering the medicine contained in this leaflet or those recommended by the doctor who administered it. If in doubt, consult the practitioner who administered it.

Take Misogydramine very seriously, not excluding the use of a good sense of humour to cope with the changes that will occur in your perception of your environment and the people who interact with you.

The recommended doses are at your discretion. You will notice improvement from the first intake. However, if you decide to take it in pieces, it can only happen that there is a drastic change in your environment. Go ahead!

This medication is taken textually, but it requires a lot of thought, honesty and consideration.

### **If you take more Misogydramine than you need**

Do not be afraid: the symptoms of an excess of Misogydramine are harmless: they are very beneficial to society.

Misogydramine is not addictive: whenever the time comes to feel completely at ease with yourself, you can leave the treatment without causing any disorder or withdrawal symptoms.

Overdose symptoms mainly include

- Restraint in assessing people for their physicality or in disclosing that they provoke sexual desire.
- Inability to use disqualifying statements regarding women who may be in competition.
- Loss of profanity in general.
- Disappearance of the repertoire of jokes and jokes with a misogynist component, however small.
- Equivalence, respect for others and oneself, kindness, joy, security and confidence in relationships.

And many others equally positive individually and collectively. You can take Misogydramine on a piece-rate basis.

### **Interference with diagnostic tests**

If you need to do some tests with allergenic substances, including skin tests - if you have very thin skin - it is recommended to stop the treatment 72 hours before starting the test in order not to alter the results and, above all, to warn or to move away from your environment.

Immediately after the test, you can resume the treatment: there are sure to be traces of your intolerance left.

### **Possible adverse effects**

You'll find misogynous people who will try to take you on. You can recommend Misogydramine.

You will feel empathy for the suffering of the people who have suffered from your misogyny.

There is no cause or reason to abandon the treatment. Simply follow it through to absolute healing that will eliminate any adversity.

### **Reporting Adverse Effects**

If you think you are experiencing any side effects, talk to your feminist of reference. New emotions may arise, new senses may be awakened and, most importantly, you may reconnect with life and reach equivalence.

## **4. Conservation of Misogydramine**

Always keep it handy and in sight of everyone. This medicine never expires... Or it does: it depends on everyone.

## **5. Package contents and additional information**

Big doses of justice.

Misogydramine 50mg is a project from:

**FemLab Collective**

Detailed and updated information on this project is available at:

**[www.femlab.info](http://www.femlab.info)**

